

MAR 01 2005

03-2-315

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Seymour, et al.

Application/Control No.: 10/737,048

Art Unit: 3632

Filed: 12/16/2003

Examiner: Sterling, Amy Jo

For: BRACKET ASSEMBLY

Commissioner for Patents
Box 1450
Mail Stop: AF
Alexandria, VA 22313-1450
Sir:

CERTIFICATE OF MAILING UNDER 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Box 1450
Alexandria, VA 22313, on

FEB. 28 2005
William H. McNeill
William H. McNeill

APPEAL BRIEF UNDER 37 C.F.R. 1.192

Applicant(s) hereby present(s) to the Board Of Appeals his/her/their Brief in support of his/her/their Appeal from the decision of the Primary Examiner finally rejecting Claims 1-3, in the above-identified application. Please charge the \$500.00 fee to Deposit Account No. 15-0685. A triplicate of this page is enclosed for Fee purposes.

Three copies of the Brief are enclosed.

REAL PARTY IN INTEREST

The real party in interest is OSRAM SYLVANIA Inc., a wholly owned subsidiary of Siemens Corp.

RELATED APPEALS AND INTERFERENCES

There are no appeals or interferences pending which are related to the instant appeal.

STATUS OF THE CLAIMS

Claims 1-3 have been rejected.

Claims 1-3 are appealed. These claims are delineated in the Appendix attached hereto.

STATUS OF AMENDMENTS

All amendments have been entered.

03/02/2005 CNGUYEN 00000017 150685 10737048

01 FC:1402 500.00 DA

SUMMARY OF INVENTION

The invention relates to an assemblage (8) that comprises an electrical connector (10) having body (12) with a tubular projection (14) having a push-through portion (16) having a first diameter and an engaging portion (18) having a second diameter larger than the first diameter. A support (20) for the electrical connector (10) has a major part (22) that is substantially rigid and includes an aperture (24) formed by a plurality of deflectable spokes (26). The aperture (24) has a center opening (28) with a third diameter greater than the first diameter and less than the second diameter, whereby the tubular projection push-through portion (16) slides through the aperture (24) and the spokes (26) engage the second diameter of the engaging portion (18) and mount the electrical connector (10) with the support (20). The assemblage thus provides an electrical connector that **directly** engages a support without needing an intermediary feature.

ISSUES

Whether claims 1-3 are patentable under 35 U.S.C. §103(a) over the combination of U.S. Patent No. 5,653,147 Kelly et al. in view of U.S. Patent No. 6,189,407 to Champ et al.

GROUPING OF CLAIMS

The claim will stand or fall together.

ARGUMENTS

35 U.S.C. 103

Kelley et al. '147 relates to a connector having a rubber sheath 18 that engages a rubber retainer 28 that is fitted into a hole 30 in a support bracket 32. Champ et al. '407 relates to a connector that utilizes a sleeve member and a clip member ('407, col. 6 lines 65 -67, col. 7 lines 1-67) for mounting in a hole 18 in a support 16.

There is no suggestion in this combination of the instant claimed invention wherein an electrical connector with a metal body with multiple diameters has a second portion that engages the spokes formed about an aperture in a support.

Applicant: Seymour, et al.
Application/Control No.: 10/737,048
Filed: 12/16/2003
For: BRACKET ASSEMBLY

Art Unit: 3632
Examiner: Sterling, Amy Jo

Page 3 of 4

"In determining obviousness of claimed apparatus under 35 U.S.C. 103, it is improper to modify reference in light of applicant's own disclosure." Ex parte Camarata; 151 USPQ 739; PO Bd of App; Mar. 1 and May 17, 1966

Both references being applied against the claims of this invention require an intermediate member that is fitted into an aperture and, therefore, provide no teaching at all to one skilled in the art that a viable support can be made without the use of an intermediate member, the support and the connector combining to provide a good electrical grounding.(specification, page 3, lines 8-12).

Accordingly, the rejection is improper and reversal is respectfully requested.

Respectfully submitted



William H. McNeill

Reg. No. 24,426

Agent for Applicants

APPENDIX

1. An assemblage comprising:

an electrical connector having a metal body with a tubular projection having a push-through portion having a first diameter and an engaging portion having a second diameter larger than said first diameter;

and a metal support having a major part that is substantially rigid and includes an aperture formed by a plurality of deflectable spokes, said aperture having a center opening with a third diameter greater than said first diameter and less than said second diameter, whereby said tubular projection push-through portion slides through said aperture and said spokes engage said second diameter of said engaging portion and mount said electrical connector with said support.

2. The assemblage of Claim 1 wherein a stop associated with said second diameter limits the amount of movement possible for said support.

3. The assemblage of Claim 2 wherein said spokes of said support diverge away from the plane of said major part of said support.